

# XXF 2.0 Factory

Colour options:  
**white**



Colour: **military green**

## Technical specifications



Aluminum, sizes: S - M - L



SunRace SilverRed, 12V, 11-51



Brose S-Mag 36,  
Torque/Coppia: 90 Nm



Braking IN.CA.S disc brake



Fantic, Lithium Ion, 36 Volt, 720Wh



Mavic E-Deemax 29" - 27.5"



Ohlins DH 38 200mm



Vittoria E-Mazza  
Vittoria E-Martello




Ohlins TTX 22M




Selle Italia Novus Boost  
X Cross Superflow

(\*) FANTIC MOTOR reserves the right to modify technical characteristics without prior notice.  
All images are included for illustrative purposes. Products are subject to change.



(\*) FANTIC MOTOR reserves the right to modify technical characteristics without prior notice.  
All images are included for illustrative purposes. Products are subject to change.

# XXF 2.0 Factory



|                        |                                            |
|------------------------|--------------------------------------------|
| <b>Motor</b>           | Brose S-Mag 36, Torque/Coppia: 90 Nm       |
| <b>Battery</b>         | Fantic, Lithium Ion, 36 Volt, 720Wh        |
| <b>Display</b>         | Brose Remote                               |
| <b>Frame</b>           | Aluminum, sizes: S - M - L                 |
| <b>Fork</b>            | Ohlins DH 38 200mm                         |
| <b>Shock</b>           | Ohlins TTX 22M                             |
| <b>Chain rings</b>     | Sram 34t                                   |
| <b>Crank arm</b>       | FSA                                        |
| <b>Rear derailleur</b> | Sram GX                                    |
| <b>Shift Levers</b>    | Sram GX Eagle                              |
| <b>Cassette</b>        | SunRace SilverRed, 12V, 11-51              |
| <b>Chain</b>           | Sram NX                                    |
| <b>Brake</b>           | Braking IN.CA.S disc brake                 |
| <b>Brake</b>           | Braking IN.CA.S disc brake                 |
| <b>Disc</b>            | Braking S3 Battfly, 220mm - 6Hole          |
| <b>Disc</b>            | Braking S3 Battfly, 203mm - 6Hole          |
| <b>Tires</b>           | Vittoria E-Mazza 29"x 2.6                  |
| <b>Tires</b>           | Vittoria E-Martello 27,5"x 2.8             |
| <b>Wheels</b>          | Mavic E-Deemax 29"- 27.5"                  |
| <b>Handlebar</b>       | Fantic Racing-800mm- Ø35 - Rise 30mm -Sand |
| <b>Stem</b>            | Fantic Racing Diretto - 35mm- Ø35          |
| <b>Seatpost</b>        | Crankbrothers HIGHLIGHT7 Ø 30.9            |
| <b>Saddle</b>          | Selle Italia Novus Boost X Cross Superflow |
| <b>Note</b>            | (*)                                        |

| Sizes     | S     | M     | L      |
|-----------|-------|-------|--------|
| <b>A</b>  | 390   | 430   | 490    |
| <b>A3</b> | 73    | 73    | 73     |
| <b>B</b>  | 586   | 596   | 628    |
| <b>B1</b> | 161   | 162   | 166    |
| <b>B2</b> | 425   | 454   | 480    |
| <b>B3</b> | 617,8 | 622,0 | 633,7  |
| <b>C</b>  | 105   | 110   | 120    |
| <b>C2</b> | 581   | 581   | 581    |
| <b>C4</b> | 65    | 65    | 65,5   |
| <b>D1</b> | 1241  | 1245  | 1270,5 |
| <b>E</b>  | 459   | 459   | 459    |
| <b>F</b>  | 363,5 | 363,5 | 363,5  |

(\*) FANTIC MOTOR reserves the right to modify technical characteristics without prior notice.  
All images are included for illustrative purposes. Products are subject to change.



**@fanticbikes**



**Fantic Bikes**



**Fantic Bikes**



**Fantic Motor**



**@fanticmotor\_official**

**fantic.com**



**Fantic,**  
**we design,**  
**engineer**  
**and assemble**  
**high-performance**  
**electric bikes.**