



INTEGRA XF2



ALU FRAME
S-M-L



Brose ALU



Fantic 630Wh



RockShox
Recon RL




RockShox
SuperDeluxe Select+




Sram LEVEL
2 Piston



GMP by Fantic



Schwalbe
SMART-SAM



SelleItalia
X-Land Flow




INTEGRA XF2



INTEGRA XF2



MOTOR	Brose ALU 36 Volt, Max power: 250 Watt, Torque/Coppia: 90 Nm
BATTERY	Fantic Integra, Lithium Ion, 36 Volt, 630Wh
DISPLAY	Brose-Marquardt multifunctional display & push-assistance selection unit
FRAME	Aluminium frame, CNC parts, Sizes: S - M - L
FORK	RockShox Recon RL, 120mm travel
GROUPSET	RockShox SuperDeluxe Select+, T205-60 Air
CRANKSET	MirandaDelta Isis 165mm Asym
CASSETTE	SunRace MX90-W 11-50 - 12V - Silver Red
CHAIN	Sram SX Eagle 12V
FRONT BRAKE	Sram LEVEL 2 Piston, Hydraulic Disc Brake, 200mm disc
REAR BRAKE	Sram LEVEL 2 Piston, Hydraulic Disc Brake, 180mm disc
TIRES	Schwalbe SMART-SAM, front 29"x 2.25" / Rear 27.5" x 2.6"
WHEELS	GMP by Fantic, Tubeless ready
FRONT HUB	Sram 716 RS, 110 mm, Boost, thru axle 15mm
REAR HUB	Sram 716 RS, 148 mm, Boost; thru axle 12mm
HANDLEBAR	FSA Ø31,8 L.760m Rise15
STEM	FSA Ø31,8 L.60mm
SEATPOST	FSA 400mm
SADDLE	SelleItalia X-Land Flow



SIZE	S	M	L
A1	410	450	490
B	580	605	630
E	468	468	468
H	312	312	312
H1	52	52	52
L	1151	1160	1168
R	403	413	418
R1	177	192	212
S	615.5	627.5	653
S1	110	120	145
a	74°	73°	72°
a	68°	68.5°	69°